

AIRPORT DATA					
ITEM	EXISTING	ULTIMATE			
ICAO IDENTIFIER	PAOC				
NATIONAL AIRPORT IDENTIFIER	A14				
FAA SITE NUMBER	50609.31*A				
AIRPORT ELEVATION NAVD88	128.6'				
AIRPORT REFERENCE CODE	A-I				
MEAN MAX. TEMPERATURE, HOTTEST MONTH	61°F, JULY				
AIRPORT AND TERMINAL NAVIGATION AIDS	NONE				
TAXIWAY LIGHTING/MARKING	NONE/NA				
OBSTRUCTION SURVEY SOURCE & TYPE	NONE				
MAGNETIC DECLINATION, YEAR, RATE OF CHANGE 15°21'E, 2010, -0°14'(W) / YEAR					

RUNWAY 1/19 DATA						
ITEM	EXISTING	NEAR TERM	ULTIMATE			
RUNWAY TYPE UTILITY OR OTHER THAN UTILITY	UTILITY					
FAR PART 77 APPROACH CATEGORY (V, NPI, P)	V/V					
APPROACH SURFACES	20:1/20:1					
VISIBILITY MINIMUM	1 SM					
RUNWAY SURFACE	GRAVEL					
PAVEMENT STRENGTH SW,DW,DTW,DDTW x1000lbs	N/A					
AIRCRAFT APPROACH CATEGORY	Α					
AIRPLANE DESIGN GROUP						
MEAN GEODETIC BEARING	N27*39'52"E					
EFFECTIVE GRADE	1.42%					
TOUCHDOWN ELEVATION NAVD88	100.7' / 100.7'					
RUNWAY DIMENSIONS	60' x 1470'					
RUNWAY SAFETY AREA (RSA) DIMENSIONS	120' x 1950'					
LENGTH BEYOND R/W END	240' / 240'					
RUNWAY PROTECTION ZONE (RPZ) DIMENSIONS	250' x 450' x 1000'					
RUNWAY OBJECT FREE AREA (OFA) DIMENSIONS	250' x 1950'					
LENGTH BEYOND R/W END OR STOPWAY	240' / 240'					
RUNWAY OBSTACLE FREE ZONE (OFZ) DIMENSIONS	250' x 1870'					
RUNWAY LIGHTING	NONE					
RUNWAY MARKING TYPE	NONE					
RUNWAY VISUAL APPROACH AIDS	NONE					

RUNWAY 10/28 DATA							
ITEM	EXISTING	NEAR TERM	ULTIMATE				
RUNWAY TYPE UTILITY OR OTHER THAN UTILITY	UTILITY						
FAR PART 77 APPROACH CATEGORY (V, NPI, P)	V/V						
APPROACH SURFACES	20:1/20:1						
VISIBILITY MINIMUM	1 SM						
RUNWAY SURFACE	GRAVEL						
PAVEMENT STRENGTH SW,DW,DTW,DDTW x1000lbs	N/A						
AIRCRAFT APPROACH CATEGORY	Α						
AIRPLANE DESIGN GROUP	1						
MEAN GEODETIC BEARING	N67*35'35"W						
EFFECTIVE GRADE	1.51%						
TOUCHDOWN ELEVATION NAVD88	128.6' / 128.6'						
RUNWAY DIMENSIONS	60' x 1920'		., ., ., ., ., ., ., ., ., ., ., ., ., .				
RUNWAY SAFETY AREA (RSA) DIMENSIONS	120' x 2360'						
LENGTH BEYOND R/W END	240' / 200'						
RUNWAY PROTECTION ZONE (RPZ) DIMENSIONS	250' x 450' x 1000'						
RUNWAY OBJECT FREE AREA (OFA) DIMENSIONS	250' x 2400'						
LENGTH BEYOND R/W END OR STOPWAY	240' / 240'						
RUNWAY OBSTACLE FREE ZONE (OFZ) DIMENSIONS	250' x 2320'						
RUNWAY LIGHTING	NONE	,					
RUNWAY MARKING TYPE	NONE						
RUNWAY VISUAL APPROACH AIDS	NONE						


				SHT #	#	TITL	_E	
				1	DATA			···
				2	EXISTING	LAYOUT		
		***************************************		3	AIRPORT	AIRSPACE, 14 CF	FR, PART 77	
-								
3Y	DATE	PE/	/ISION					
	OVED:	17.	DATE: 11>-1-2010					
	AN)	P. Co				STATE OF		
K. KIN	I,RICE, P.E.	PREC	DNSTRUCTION, ENGINEER	DE	PARTM	ENT OF T	RANSPOR	TATION
RECO	MMENDED:	- (DATE: (0/1/2010		ΔΝΙ	D PURI IC	FACILITIE	S
	えん	2 5	,		AII			
HARV	EY M. DOUT	HIT, P.E.	DESIGN SECTION CHIEF			CENTRAL	REGION	
		T PLAN CONDITIONAL AP		PΩ	RTAGE	CREEK A	VIRPORT	DATE:
ALP	APPROVAL	LETTER DATED 10 / 17	_/_10					09/16/2010
EΛΛ	AIRCDACE F	REVIEW NUMBER: 2010-A	AL 171 NDA		PURIA	GE CREEK, AL	HJCH	

DRAWING INDEX

AIRPORT LAYOUT PLAN


DATA

SHEET:



PART 77 SURFACE OBSTRUCTIONS TABLE									
ID	#	DESCRIPTION	STATION/ OFFSET	ELEVATION	SURFACE PENETRATED	SURFACE ELEVATION	AMOUNT PENETRATION	DISPOSITION	STAGE TO CORRECT
(1		BRUSH	0+90 TO 2+90/0-60*	100.7-102.7	PRIMARY	99.7	1-3	REMOVE	NEAR-TERM
(2)**	TREES	25+90/106 L	138.3	APPROACH RWY 19	128.7	9.6	REMOVE	NEAR-TERM
(3		BRUSH	20+70/0	107.3	APPROACH RWY 19	102.7	4.6	REMOVE	NEAR-TERM
(4		BRUSH	19+80 TO 20+30/60-125*	103.7-104.7	PRIMARY	100.7	3-4	REMOVE	NEAR-TERM
(5)	BRUSH	***/60-125*	102.7-141.5	PRIMARY	99.7-128.5	3–13	REMOVE	NEAR-TERM
(6)**	TREES	15+30/280L	146.5	TRANSITIONAL	143.5	3	REMOVE	NEAR-TERM
7)	BRUSH	15+30 TO 20+35/210L	139.5-144.5	TRANSITIONAL	133.5-138.5	6	REMOVE	NEAR-TERM
(8)**	TREES	12+10/330R	146.5	TRANSITIONAL	145.5	1	REMOVE	NEAR-TERM
(9		BRUSH	7+50 TO 12+50/180R	103	TRANSITIONAL	102	1	REMOVE	NEAR-TERM
(0)	BRUSH	4+00 TO 13+50/60-125R	82-98	PRIMARY	80-95	2-3	REMOVE	NEAR-TERM
(1))**	TREES	12+50/260R	126	TRANSITIONAL	113	13	REMOVE	NEAR-TERM
(12		BRUSH	1+20 TO 3+60/130R	90.5-95.5	TRANSITIONAL	80.5	10-15	REMOVE	NEAR-TERM
(3		OLD WINDCONE	5+00/225R	102	TRANSITIONAL	96	6	REMOVE	NEAR-TERM
(14) **	TREES	1+20/163R	101	TRANSITIONAL	85	16	REMOVE	NEAR-TERM
(15	**	TREES	0+96/110L	97.8	APPROACH RWY 1	82.6	15.2	REMOVE	NEAR-TERM
(16	**	TREES	6+70/250L	114	TRANSITIONAL	103	11	REMOVE	NEAR-TERM
(7		BRUSH	3+60 TO 8+50/140L	95	TRANSITIONAL	82	13	REMOVE	NEAR-TERM
(18)	BRUSH	9+60 TO 17+00/110-125L	96.5-111.5	PRIMARY	94-99.5	2.5-12	REMOVE	NEAR-TERM
(19	**	TREES	16+90/106L	120.3	PRIMARY	99.3	21	REMOVE	NEAR-TERM

- * BOTH SIDES.
- ** HIGHEST MEASURED FEATURE IN VEGETATED AREA; REFER TO BRUSH LINE EXTENTS ON LAYOUT.
- *** ENTIRE LENGTH OF RUNWAY.



SCALE IN FEET 1500' 750'

HORIZONTAL TO VERTICAL RATIO 1:10

NOTES:

- 1. AIRPORT ELEVATION IS 128.6'.
- 2. PRIMARY SURFACE WIDTH IS 250'.
- 3. TOPO CONTOURS ARE SHOWN IN FEET. BASEMAP DATA FROM USGS NAKNEK (D-6).
- 4. A RANGEFINDER WITH BUILT-IN INCLINOMETER WAS USED TO IDENTIFY OBSTRUCTIONS CLOSE TO THE RUNWAY IN THE PRIMARY AND TRANSITIONAL SURFACES.
- 5. APPROACH SURFACES ARE 20:1, BEGINNING 200' BEYOND THE THRESHOLDS.
- 6. THE RUNWAY 1 CONTROLLING OBSTRUCTION IS TREES AT STATION 0+96, 110' LT OF RUNWAY SURFACE. THE OBSTRUCTION CLEARANCE SLOPE IS 14:1, PER FAA AC 150-5200-35, SECTION 4, DATA ELEMENT NUMBER 57.
- 7. THERE ARE NO OBJECT PENETRATIONS IN THE RUNWAY APPROACH END SITING SURFACES OF RUNWAY 1, AS DEFINED IN FAA 150/5300-13, CHG 14, APPENDIX 2, TABLE A2-1, LINE 1. IF THE TREES WERE REMOVED FROM THE END OF THE RUNWAY, THÉRE WOULD BE NO OBJECT PENETRATIONS IN THE APPROACH END SITING SURFACE OF RUNWAY 1, AS DEFINED IN LINE 5 OF TABLE A2-1.
- 8. THE RUNWAY 19 CONTROLLING OBSTRUCTION IS BRUSH AT STATION 19+80, 60'-125' LT AND RT OF RUNWAY CENTERLINE, ELEVATION IS 3'-4' ABOVE RUNWAY. THE OBSTRUCTION CLEARANCE SLOPE IS 1:1, PER FAA AC 150/5200-35, SECTION 4, DATA ELEMENT NUMBER 57. IF THE BRUSH WERE REMOVED, THE CONTROLLING OBSTRUCTION WOULD BE TREES AT STATION 25+90, 106' LT OF RUNWAY CENTERLINE AT AN ELEVATION OF 138.3' WITH AN OBSTRUCTION CLEARANCE SLOPE OF 20:1.
- 9. THE RUNWAY 19 APPROACH END SITING SURFACES DO NOT MEET ANY THRESHOLD SITING CRITERIA BECAUSE OF VEGETATION (BRUSH AND TREES) PENETRATIONS. IF THE BRUSH FROM THE RUNWAY END AND TREES 700'-800' BEYOND THE RUNWAY ÈND WERE REMOVED, THERE WOULD BE NO OBJECT PENETRATIONS IN THE APPROACH END SITING SURFACE OF RUNWAY 19, AS DEFINED IN FAA AC 150/5300-13, CHG 14, APPENDIX 2, TABLE A2-1, LINE 5.
- 10. THE RUNWAY 10 CONTROLLING OBSTRUCTION IS BRUSH IN THE RSA, 1'-3' ABOVE RUNWAY SURFACE. THE OBSTRUCTION CLEARANCE SLOPE IS 1:1, PER FAA AC 150/5200-35, SECTION 4, DATA ELEMENT NUMBER 57.
- 11. THE RUNWAY 10 APPROACH END SITING SURFACES DO NOT MEET ANY THRESHOLD SITING CRITERIA BECAUSE OF VEGETATION (BRUSH) PENETRATIONS. IF THE BRUSH WERE REMOVED, THERE WOULD BE NO OBJECT PENETRATIONS IN THE APPROACH END SITING SURFACE OF RUNWAY 10, AS DEFINED IN FAA AC 150/5300-13, CHG 14, APPENDIX 2, TABLE A2-1, LINE 5.
- 12. THERE ARE NO CONTROLLING OBSTRUCTIONS FOR RUNWAY 28, THEREFORE THE CONTROLLING OBSTRUCTION CLEARANCE SLOPE IS ESTABLISHED AS 50:1, PER FAA AC 150-5200-35, SECTION 4, DATA ELEMENT NUMBER 57.
- 13. THERE ARE NO OBJECT PENETRATIONS IN THE RUNWAY APPROACH END SITING SURFACES OF RUNWAY 28, AS DEFINED IN FAA AC 150/5300-13, CHG 14, APPENDIX 2, TABLE A2-1, LINE 5.
- 14. THERE ARE NO KNOWN ORDINANCES SPECIFYING HEIGHT RESTRICTIONS IN PORTAGE CREEK. PORTAGE CREEK IS AN UNINCORPORATED CITY IN AN UNORGANIZED BOROUGH.
- 15. THE LANDFILL IS LOCATED 760' FROM THE NEAREST POINT ON THE RUNWAY, ALTHOUGH THE DCCED REPORTS IT AS INACTIVE. THERE IS NO SEWAGE FACILITY IN PORTAGE CREEK.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES **CENTRAL REGION**

PORTAGE CREEK AIRPORT PORTAGE CREEK, ALASKA AIRPORT LAYOUT PLAN AIRPORT AIRSPACE

BY DATE REVISION

09/16/2010 SHEET:

14 CFR, PART 77